



AVIRAT INDUSTRIES



**MFG. ALL
TYPE OF
CONSTRUCTION
MACHINERY**



www.aviratindustries.com

BAR CUTTING MC GQ-40H

| | | | |
|-----------------------|---|---------------|----------|
| Model | GQ 40H | Working Speed | 28 r/min |
| Cutting Specification | Plain Carbon Steel $\leq \varnothing 40$ mm Thread Steel (Grade II) $\leq \varnothing 32$ mm | Power | 3KW |
| Size | 1190 x 450 x 680 (mm) | Weight | 370 KGS |



BAR CUTTING MC GQ-50H

| | | | |
|-----------------------|---|---------------|---------|
| Model | GQ 50-H | Working Speed | 32r/min |
| Cutting Specification | Plain Carbon Steel $\leq \varnothing 50$ mm Thread Steel (Grade II) $\leq \varnothing 36$ mm | Power | 4KW |
| Size | 1560x480x870 (mm) | Weight | 520 KGS |

BAR CUTTING MC SI-36

| | | | |
|----------|-------|-------|-----------------|
| Model | SI 36 | RPM | 2880 |
| Capacity | 36 MM | Motor | 5 HP 3 PHASE |



BAR BENDING MC OI-32

| | | | |
|----------|----------------------|--------|-----------------|
| Model | OI 32 | RPM | 1440 |
| Capacity | 32 MM | Motor | 5 HP 3 PHASE |
| Size | 850 X 745 X 840 (mm) | Weight | 380 KGS |



BAR BENDING MC OI-42

| | | | |
|----------|----------------------|--------|-----------------|
| Model | OI42 | RPM | 1440 |
| Capacity | 42MM | Motor | 5 HP 3 PHASE |
| Size | 970 X 770 X 860 (mm) | Weight | 410 KGS |

BAR BENDING OI-36

| | | | |
|----------|----------------|-----------|----------|
| Model | OI36 | RPM | 1440 |
| Capacity | Up to 36 MM | Pelentary | Gear Box |
| Motor | 5 HP / 3 PHASE | | |



BAR BENDING MC GW-50J

| | | | |
|-----------------------|---|---------------|----------------|
| Model | GW 50-J | Working Speed | 3-15 r/min |
| Bending Specification | Plain Carbon Steel $\leq \varnothing 50$ mm Thread Steel (Grade II) $\leq \varnothing 42$ mm | Power | 4KW 3 PHASE |
| Size | 970 x 770 x 860 (mm) | Weight | 420 KGS |

BAR BENDING GW-42J

| | | | |
|-----------------------|---|---------------|------------|
| Model | MC 42-J | Working Speed | 5-10 r/min |
| Bending Specification | Plain Carbon Steel $\leq \varnothing 50$ mm Thread Steel (Grade II) $\leq \varnothing 42$ mm | Power | 3 KW |
| Size | 850 x 745 x 840 (mm) | Weight | 320 KGS |



RING BENDING MC GW-20 / GW-20D

| | | | |
|------------------------|----------------------------------|---------------|-------------|
| Model | GW 20 / GW 20D | Working Speed | 25-30 r/min |
| Blending Specification | $4 \leq \emptyset 20 \text{ mm}$ | Power | 2.2 KW |
| Size | 500x800 x750 (mm) | Weight | 95 KGS |



POWER TROWEL SI-3900 2HP / 3HP

| | |
|----------|---|
| Model | SI 3900 2HP / 3HP |
| RPM | 1(1440) / 2(2880) |
| Motor | 2 HP (2 Speed) / 3 HP (2 Speed) / 3 PHASE |
| Weight | 110 KGS |
| Diameter | 990 MM |



POWER TROWEL SIJ-3700

| | |
|----------|--------------------------|
| Model | SIJ3700 |
| RPM | 1440 |
| Motor | 3 HP (1 Speed) / 3 PHASE |
| Weight | 120 KGS |
| Diameter | 940 MM |



POWER TROWEL HONDA GX-160

| | |
|---------------|----------------------|
| Model | Honda GX160 |
| RPM | 3600 |
| Petrol Engine | HONDA GX160 (5.5 HP) |
| Weight | 120 KGS |



GROOVE CUTTING MACHINE 7.5 HP MOTOR

| | |
|---------------|------------------|
| Cutting Blade | 14" |
| RPM | 2880 |
| Motor | 7.5 HP / 3 PHASE |
| Weight | 150 KGS |
| Cutting Depth | 4" |

RCC CUTTING MACHINE WITH 20" BLADE

| | |
|---------------|--------------------------------------|
| Model | GX 390 ENGINE HONDA PETROL / 11.7 HP |
| Max Depth | 6" |
| RPM | 3600 |
| Weight | 120 KGS |
| Cutting Blade | 20" |



RCC CUTTING MACHINE WITH VST SHAKTI ENGINE 13HP DIESEL

| | | | |
|-----------------------|------------------------|---------------|---------|
| Model | VST SHAKTI ENGINE 13HP | Cutting Blade | 24" |
| Machine Specification | 13HP Vst Shakti Engine | | |
| Max Depth | 8" | Weight | 225 KGS |




LASER SCREED LS-325

| | |
|----------------|---------------------|
| Model | LS-325 |
| Generator | Honda Generator Set |
| Control System | Ac Servo System |
| Weight | 220KG |
| Working Length | 2.6M |



RIDE ON POWER TROWEL ELECTRIC

| | |
|----------------|------------------------|
| Motor | 5 HP / 3 Phase x 2 Nos |
| RPM | 1440 RPM |
| Weight | 255 KGS Approx |
| Blade Quantity | 8 pcs |
| Pan Quantity | 2 pcs |



RIDE ON POWER TROWEL WITH ENGINE

| | |
|----------------|---------------------|
| Model | FRT 36 |
| Working Speed | 120-140 RPM |
| Petrol Engine | HONDA GX 690 (24HP) |
| Max.output | 24HP |
| Max. Speed | 3600 RPM |
| Blade Quantity | 8 pcs |
| Pan Quantity | 2 pcs |

WALK BEHIND VIBRATOR ROLLER


| | |
|---------------------|--|
| Model | CYL 31 |
| Power | 9 HP Greaves Diesel Engine (Cellstart) |
| Water tank Capacity | 35LT |
| Vibratory Frequency | 70 Hz |
| Drive Mode | Hydraulic |
| N.W / G.W | 540 KG / 780 KG |
| Drum Size (Dia x W) | 600*450 |




TEMPING RAMMER



| | |
|------------------|--|
| Model | HCR80 |
| Engine Type | Air-Cooled, Petrol Engine 4- Stroke, Single Cylinder |
| Power | 4.0 Kw - 5.5 HP |
| Frequency | 4200 vpm |
| Compaction Depth | 30 cm - 12 in |
| Plate Size | 34 x 29 cm - 13.4 x 11.4 in |
| Impact Force | 10 Kn |
| Weight | 85 Kg |



OTHER PRODUCTS



📍 Godown No 1, Ls-433, Behind Khodiyar Hotel, Sanathal Bavla Highway, Sanad, Ahmedabad, Gujarat, 380054.(INDIA)

☎ +91-98980 77334

✉ aviratind2022@gmail.com 🌐 www.aviratindustries.com



AVIRAT INDUSTRIES

